Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

Claims 1-9. (Cancelled)

10. (Currently Amended) A method for treating diabetic <u>maculopathy macular edema</u> comprising administering to a human subject having <u>diabetic maculopathy with-diffuse</u> macular edema an effective amount of a compound represented by the following general formula-and ameliorating the diffuse macular edema by the administration:

wherein X represents a halogen or a hydrogen atom, and R¹ and R² concurrently or differently represent a hydrogen atom or a C1 to C6 alkyl group,

and ameliorating the diffuse macular edema by the administration.

11. (Previously Presented) The method for treating diabetic <u>maculopathymacular</u> <u>edema</u> according to claim 10, wherein the compound is administered in the form of an oral agent.

- 12. (Previously Presented) The method for treating diabetic maculopathymacular edema according to claim 10, wherein the compound is (2S, 4S)-6-fluoro-2',5'-dioxospiro [chroman-4,4'-imidazolidine]-2-carboxamide.
- 13. (Cancelled)
- 14. (Previously Presented) A method for improving visual acuity and inhibiting a deterioration of visual acuity in a human subject having diabetic maculopathymacular edema comprising the method according to claim 10.

Claims 15-17. (Cancelled)

18. (Currently Amended) A method for treating diabetic maculopathy macular edema comprising administering to a human subject having diabetic maculopathy with diffuse macular edema an effective amount of a compound represented by the following general formula, ameliorating the diffuse macular edema by the administration, and consequently inhibiting a deterioration of visual acuity of the subject:

wherein X represents a halogen or a hydrogen atom, and R¹ and R² concurrently or differently represent a hydrogen atom or a C1 to C6 alkyl group,

ameliorating the diffuse macular edema by the administration, and consequently inhibiting a deterioration of visual acuity of the subject.

- 19. (Cancelled)
- 20. (Previously Presented) The method for treating diabetic <u>maculopathymacular</u> <u>edema</u> according to claim 18, wherein the compound is administered in the form of an oral agent.
- 21. (Previously Presented) The method for treating diabetic maculopathymacular edema according to claim 18, wherein the compound is (2S, 4S)- 6-fluoro-2',5'-dioxospiro [chroman-4,4'-imidazolidine]- 2-carboxamide.